



## DOCUMENT

	<b>Title</b>	XIAFLEX® (collagenase clostridium histolyticum)		
	<b>Filename</b>	Xiaflex_Criteria_a11y.pdf		
	<b>Language</b>	<b>Tags</b>	<b>Pages</b>	<b>Size</b>
	en	59	1	617 KB

## RESULT


 The PDF/UA requirements checked by PAC are fulfilled.

<b>Date/Time</b>	<b>Standard</b>
2022-07-21 14:33	PDF/UA-1

CHECKPOINT	PASSED	WARNED	FAILED
<b>Basic Requirements</b>			
PDF Syntax	130	0	0
Fonts	13	0	0
Content	2 102	0	0
Embedded Files	0	0	0
Natural Language	1 021	0	0
<b>Logical Structure</b>			
Structure Elements	11	0	0
Structure Tree	53	0	0
Role Mapping	59	0	0
Alternative Descriptions	118	0	0
<b>Metadata and Settings</b>			
Metadata	3	0	0
Document settings	4	0	0

## ABOUT PAC

<b>Version:</b> 21.0.0.0	<b>OS:</b> Windows
--------------------------	--------------------

PDF Accessibility Checker (PAC) evaluates the accessibility of PDF files according to [ISO Standard 14289-1 \(PDF/UA\)](#) by using the [Matterhorn Protocol](#). It checks 107 criteria that can be checked automatically.

PAC is a free checking tool of the PDF/UA Foundation: [www.pdfua.foundation](http://www.pdfua.foundation). Copyright © 2021 PDF/UA Foundation.