


## DOCUMENT

	<b>Title</b>	Xopenex® (levalbuterol) solutions for inhalation and HFA		
	<b>Filename</b>	Xopenex_Criteria_a11y.pdf		
	<b>Language</b>	<b>Tags</b>	<b>Pages</b>	<b>Size</b>
	en	62	2	653 KB

## RESULT



The PDF/UA requirements checked by PAC are fulfilled.

<b>Date/Time</b>	<b>Standard</b>
2022-07-21 14:43	PDF/UA-1

CHECKPOINT	PASSED	WARNED	FAILED
<b>Basic Requirements</b>			
PDF Syntax	140	0	0
Fonts	15	0	0
Content	4 495	0	0
Embedded Files	0	0	0
Natural Language	2 198	0	0
<b>Logical Structure</b>			
Structure Elements	10	0	0
Structure Tree	57	0	0
Role Mapping	62	0	0
Alternative Descriptions	124	0	0
<b>Metadata and Settings</b>			
Metadata	3	0	0
Document settings	3	0	0

## ABOUT PAC

**Version:** 21.0.0.0      **OS:** Windows

PDF Accessibility Checker (PAC) evaluates the accessibility of PDF files according to [ISO Standard 14289-1 \(PDF/UA\)](#) by using the [Matterhorn Protocol](#). It checks 107 criteria that can be checked automatically.

PAC is a free checking tool of the PDF/UA Foundation: [www.pdfua.foundation](http://www.pdfua.foundation). Copyright © 2021 PDF/UA Foundation.